

SN 09/609,285  
Page 2 of 25

**IN THE CLAIMS:**

Please replace the previous claims with the following claims:

1. (Currently amended) A method ~~for automatically pausing a video program in response to an occurrence of an event~~, comprising:
  - receiving a video program;
  - outputting the video program for presentation on a display device;
  - receiving an initiating audio portion of an audio communications event comprising an initiating portion and an accepting portion;
  - detecting the receiving of the audio initiating portion of the audio communications event during the video program presentation;
  - ~~pausing the video program in response to the detection of~~ upon detecting the receiving of the audio initiating portion of the audio communications event;
  - converting the audio ~~portion~~ of the audio communications event to corresponding text for display; and
  - outputting a signal for displaying an indication of the receiving of the audio initiating portion of the audio communications event.
2. (original) The method of claim 1 wherein the detecting step includes detecting an incoming phone call, an audio e-mail, a web page with an associated audio file, or a message with an associated audio file.
3. (original) The method of claim 2 wherein the outputting the signal step includes outputting the signal for displaying a telephone number associated with the incoming telephone call.
4. (original) The method of claim 3 wherein the outputting the signal step includes outputting the signal for displaying a text message associated with the telephone number.

414182\_1.DOC

SN 09/609,285  
Page 3 of 25

5. (original) The method of claim 3 wherein the outputting the signal step includes outputting the signal for displaying a graphic associated with the telephone number.
6. (original) The method of claim 2, further including:  
receiving a voice mail message related to the telephone call;  
converting the voice mail message to corresponding text; and  
storing the text of the voice mail message.
7. (original) The method of claim 6, further including storing the received voice mail message in audio form.
8. (original) The method of claim 6, further including presenting the text of the voice mail message.
9. (original) The method of claim 7, further including presenting the text and the audio form of the voice mail message.
10. (original) The method of claim 1, further including displaying the corresponding text in a window overlayed on the paused video program.
11. (original) The method of claim 2, further including initiating a call back of the telephone call.
12. (original) The method of claim 1, further including:  
receiving a play signal to restart the video program; and  
transmitting, in response to the play signal, the video program for presentation on the display device starting at an approximate location where the video program was paused.
13. (original) The method of claim 12, further including:  
receiving a fast forward signal to increase a rate of transmission of the video program; and

414182\_1.DOC

SN 09/609,285  
Page 4 of 25

transmitting, in response to the fast forward signal, video program at an increased rate for presentation of an increased rate of display of the video program on the display device.

14. (original) The method of claim 12, further including:  
receiving a rewind signal to reverse a rate of transmission of the video program;  
and

transmitting, in response to the rewind signal, the video program at a reversed rate for presentation of a reversed rate of display of the video program on the display device.

15. (original) The method of claim 12, further including:  
receiving a slow motion signal to decrease a rate of transmission of the video program; and

transmitting, in response to the slow motion signal, the video program at an decreased rate for presentation of a decreased rate of display of the video program on the display device.

16. (original) The method of claim 1, further including:  
receiving a frame forward signal to display a next frame of the video program;  
and

transmitting, in response to the frame forward signal, a next frame of the video program for presentation of the next frame on the display device.

17. (original) The method of claim 1, further including:  
receiving a frame back signal to display a previous frame of the video program;  
and

transmitting, in response to the frame back signal, a previous frame of the video program for presentation of the previous frame on the display device.

18. (original) The method of claim 12, further including:

414182\_1.DOC

SN 09/609,285  
Page 5 of 25

receiving a jump signal to display the video program from a current point of transmission; and

transmitting, in response to the jump signal, the video program for presentation of the video program from the current point of transmission on the display device.

19. (original) The method of claim 2, further including receiving information to associate with a particular phone number.

20. (original) The method of claim 19 wherein the receiving information step includes receiving textual information or graphical information.

21. (original) The method of claim 19 wherein:  
the detecting step includes detecting occurrence of an incoming telephone call associated with the particular phone number; and  
the outputting the signal step includes outputting the signal for displaying the information associated with the particular phone number.

Claims 22-26. Canceled.

27. (Currently amended) A method for ~~audio to text conversion of real time telephone calls during viewing of a video program~~, comprising:  
receiving a video program;  
outputting the video program for presentation on a display device;  
detecting occurrence of an incoming telephone call;  
detecting an off-hook condition indicating answering of the telephone call;  
converting, during the telephone call, an audio portion of the telephone call to corresponding text; and  
displaying, during the telephone call, the corresponding text with the video program.

28. (original) The method of claim 27 wherein the displaying step includes displaying the corresponding text in a window overlaid on the video program.

414182\_1.DOC

SN 09/609,285  
Page 6 of 25

29. (Currently amended) An apparatus ~~for automatically pausing a video program in response to an occurrence of an event~~, comprising:

a module for receiving a video program and outputting the video program for presentation on a display device;

a module for receiving an initiating audio portion of an audio communications event comprising an initiating portion and an accepting portion;

a detection module for detecting the receiving of the initiating audio portion of the audio communications event during the video program presentation;

a pause module for pausing the video program ~~in response to the detection of~~ upon detecting the receiving of the audio initiating portion of the audio communications event;

a conversion module for converting the ~~audio portion~~ of the audio communications event to corresponding text for display; and

an output module for outputting a signal for displaying an indication of the receiving of the ~~audio initiating~~ audio initiating portion of the audio communications event.

30. (original) The apparatus of claim 29 wherein the detection module includes a module for detecting an incoming phone call, an audio e-mail, a web page with an associated audio file, or a message with an associated audio file.

31. (original) The apparatus of claim 30 wherein the output module includes a module for outputting the signal for displaying a telephone number associated with the incoming telephone call.

32. (original) The apparatus of claim 31 wherein the output module includes a module for outputting the signal for displaying a text message associated with the telephone number.

33. (original) The apparatus of claim 31 wherein the output module includes a module for outputting the signal for displaying a graphic associated with the telephone number.

414182\_1.DOC

SN 09/609,285  
Page 7 of 25

34. (original) The apparatus of claim 30, further including:  
a module for receiving a voice mail message related to the telephone call;  
a module for converting the voice mail message to corresponding text; and  
a module for storing the text of the voice mail message.
35. (original) The apparatus of claim 34, further including a module storing the received voice mail message in audio form.
36. (original) The apparatus of claim 34, further including a module for presenting the text of the voice mail message.
37. (original) The apparatus of claim 35, further including a module for presenting the text and the audio form of the voice mail message.
38. (original) The apparatus of claim 29, further including a module for displaying the corresponding text in a window overlayed on the paused video program.
39. (original) The apparatus of claim 30, further including a module for initiating a call back of the telephone call.
40. (original) The apparatus of claim 29, further including:  
a module for receiving a play signal to restart the video program; and  
a module for transmitting, in response to the play signal, the video program for presentation on the display device starting at an approximate location where the video program was paused.
41. (original) The apparatus of claim 40, further including:  
a module for receiving a fast forward signal to increase a rate of transmission of the video program; and

414182\_1.DOC

SN 09/609,285  
Page 8 of 25

a module for transmitting, in response to the fast forward signal, video program at an increased rate for presentation of an increased rate of display of the video program on the display device.

42. (original) The apparatus of claim 40, further including:

a module for receiving a rewind signal to reverse a rate of transmission of the video program; and

a module for transmitting, in response to the rewind signal, the video program at a reversed rate for presentation of a reversed rate of display of the video program on the display device.

43. (original) The apparatus of claim 40, further including:

a module for receiving a slow motion signal to decrease a rate of transmission of the video program; and

a module for transmitting, in response to the slow motion signal, the video program at an decreased rate for presentation of a decreased rate of display of the video program on the display device.

44. (original) The apparatus of claim 29, further including:

a module for receiving a frame forward signal to display a next frame of the video program; and

a module for transmitting, in response to the frame forward signal, a next frame of the video program for presentation of the next frame on the display device.

45. (original) The apparatus of claim 29, further including:

a module for receiving a frame back signal to display a previous frame of the video program; and

a module for transmitting, in response to the frame back signal, a previous frame of the video program for presentation of the previous frame on the display device.

46. (original) The apparatus of claim 40, further including:

414182\_1.DOC

SN 09/609,285  
Page 9 of 25

a module for receiving a jump signal to display the video program from a current point of transmission; and

a module for transmitting, in response to the jump signal, the video program for presentation of the video program from the current point of transmission on the display device.

47. (original) The apparatus of claim 30, further including a module for receiving information to associate with a particular phone number.

48. (original) The apparatus of claim 47 wherein the module for receiving information includes a module for receiving textual information or graphical information.

49. (original) The apparatus of claim 47 wherein:

the detection module includes a module for detecting occurrence of an incoming telephone call associated with the particular phone number; and

the output module includes a module for outputting the signal for displaying the information associated with the particular phone number.

Claims 50-54. Canceled.

55. (Currently amended) An apparatus for ~~voice to text conversion of real time telephone calls during viewing of a video program~~, comprising:

a module for receiving a video program and outputting the video program for presentation on a display device;

a detection module for detecting occurrence of an incoming telephone call;

an off-hook module for detecting an off-hook condition indicating answering of the telephone call;

a conversion module for converting, during the telephone call, an audio portion of the telephone call to corresponding text; and

a display module for displaying, during the telephone call, the corresponding text with the video program.



SN 09/609,285  
Page 10 of 25

56. (original) The apparatus of claim 55 wherein the display module includes a module for displaying the corresponding text in a window overlayed on the video program.

57. (Currently amended) A computer program product, comprising:  
a computer-readable medium containing instructions for controlling a computer system to perform a method ~~for automatically pausing a video program in response to an occurrence of an event~~, the method including:  
receiving a video program;  
outputting the video program for presentation on a display device;  
receiving an initiating audio portion of an audio communications event comprising an initiating portion and an accepting portion;  
detecting the receiving of the initiating audio portion of the audio communications event during the video program presentation;  
pausing the video program ~~in response to the detection of~~ upon detecting the receiving of the initiating audio portion of the audio communications event;  
converting the audio portion of the audio communications event to corresponding text for display; and  
outputting a signal for displaying an indication of the receiving of the initiating audio portion of the audio communications event.

58. (original) The computer program product of claim 57 wherein the detecting step includes detecting an incoming phone call, an audio e-mail, a web page with an associated audio file, or a message with an associated audio file.

59. (original) The computer program product of claim 58 wherein the outputting the signal step includes outputting the signal for displaying a telephone number associated with the incoming telephone call.

60. (original) The computer program product of claim 59 wherein the outputting the signal step includes outputting the signal for displaying a text message associated with the telephone number.

414182\_1.DOC

SN 09/609,285  
Page 11 of 25

61. (original) The computer program product of claim 59 wherein the outputting the signal step includes outputting the signal for displaying a graphic associated with the telephone number.
62. (original) The computer program product of claim 58, further including:  
receiving a voice mail message related to the telephone call;  
converting the voice mail message to corresponding text; and  
storing the text of the voice mail message.
63. (original) The computer program product of claim 62, further including storing the received voice mail message in audio form.
64. (original) The computer program product of claim 62, further including presenting the text of the voice mail message.
65. (original) The computer program product of claim 63, further including presenting the text and the audio form of the voice mail message.
66. (original) The computer program product of claim 57, further including displaying the corresponding text in a window overlayed on the paused video program.
67. (original) The computer program product of claim 57, further including initiating a call back of the telephone call.
68. (original) The computer program product of claim 57, further including:  
receiving a play signal to restart the video program; and  
transmitting, in response to the play signal, the video program for presentation on the display device starting at an approximate location where the video program was paused.
69. (original) The computer program product of claim 68, further including:

414182\_1.DOC

SN 09/609,285  
Page 12 of 25

receiving a fast forward signal to increase a rate of transmission of the video program;  
and

transmitting, in response to the fast forward signal, video program at an increased rate for presentation of an increased rate of display of the video program on the display device.

70. (original) The computer program product of claim 68, further including:  
receiving a rewind signal to reverse a rate of transmission of the video program;  
and

transmitting, in response to the rewind signal, the video program at a reversed rate for presentation of a reversed rate of display of the video program on the display device.

71. (original) The computer program product of claim 68, further including:  
receiving a slow motion signal to decrease a rate of transmission of the video program;  
and

transmitting, in response to the slow motion signal, the video program at an decreased rate for presentation of a decreased rate of display of the video program on the display device.

72. (original) The computer program product of claim 57, further including:  
receiving a frame forward signal to display a next frame of the video program;  
and

transmitting, in response to the frame forward signal, a next frame of the video program for presentation of the next frame on the display device.

73. (original) The computer program product of claim 57, further including:  
receiving a frame back signal to display a previous frame of the video program;  
and

414182\_1.DOC

SN 09/609,285  
Page 13 of 25

transmitting, in response to the frame back signal, a previous frame of the video program for presentation of the previous frame on the display device.

74. (original) The computer program product of claim 68, further including:  
receiving a jump signal to display the video program from a current point of transmission; and  
transmitting, in response to the jump signal, the video program for presentation of the video program from the current point of transmission on the display device.

75. (original) The computer program product of claim 58, further including receiving information to associate with a particular phone number.

76. (original) The computer program product of claim 75 wherein the receiving information step includes receiving textual information or graphical information.

77. (original) The computer program product of claim 75 wherein:  
the detecting step includes detecting occurrence of an incoming telephone call associated with the particular phone number; and  
the outputting the signal step includes outputting the signal for displaying the information associated with the particular phone number.

Claims 78-82. Canceled.

83. (Currently amended) A computer program product, comprising:  
a computer-readable medium containing instructions for controlling a computer system to perform a method for ~~voice to text conversion of real time telephone calls during viewing of a video program~~, the method including:  
receiving a video program;  
outputting the video program for presentation on a display device;  
detecting occurrence of an incoming telephone call;  
detecting an off-hook condition indicating answering of the telephone call;

414182\_1.DOC

SN 09/609,285  
Page 14 of 25

converting, during the telephone call, an audio portion of the telephone call to corresponding text; and  
displaying, during the telephone call, the corresponding text with the video program.

84. (original) The computer program product of claim 83 wherein the displaying step includes displaying the corresponding text in a window overlayed on the video program.

414182\_1.DOC